

[Skip to main content](#)

Ancobon (Flucytosine)

??? ??????: 30 ?????2/????? 2017

The adverse reactions which have occurred during treatment with Ancobon (flucytosine) are grouped according to organ system affected.

Cardiac arrest, myocardial toxicity, ventricular dysfunction. **Cardiovascular:**

Respiratory arrest, chest pain, dyspnea. **Respiratory:**

Rash, pruritus, urticaria, photosensitivity. **Dermatologic:**

Nausea, emesis, abdominal pain, diarrhea, anorexia, dry mouth, duodenal ulcer, gastrointestinal hemorrhage, acute hepatic injury with possible fatal outcome in debilitated patients, hepatic dysfunction, jaundice, ulcerative colitis, bilirubin elevation, increased hepatic enzymes. **Gastrointestinal:**

Azotemia, creatinine and BUN elevation, crystalluria, renal failure. **Genitourinary:**

Anemia, agranulocytosis, aplastic anemia, eosinophilia, leukopenia, pancytopenia, thrombocytopenia **Hematologic:**

Ataxia, hearing loss, headache, paresthesia, parkinsonism, peripheral neuropathy, pyrexia, vertigo, sedation, convulsions. Psychiatric: Confusion, hallucinations, psychosis. **Neurologic:**

Fatigue, hypoglycemia, hypokalemia, weakness, allergic reactions, Lyell's syndrome. **Miscellaneous:**